

[illegible]

	N/C = Not Connected				
#	CMA TOTAL	Connection Method	Lines	Notes	LINE ORIENTATION
J1	1895	Open Barrel - T	L13,L18,L1	+5V SENSOR POWER	L1 / REST
J2	2526	Open Barrel - T	L14,L15,L17,L2	Sensor Ground	L2 / REST

CODE	CONNECTORS #	USE - Description	CONNECTOR (Part Number)	NOTES
SHSNR	C1	Sub Harness - Sensors to ECU Harness	DTM04-12P	DTM male connector 12 pin, key A - Plug Pin 12
EFP	C2	Engine Fuel Pressure Sensor	Delphi GT150 3 Way	FT PN: 5005100023
CAM	C3	Cam Sync Sensor	Sumitomo 6189-0552	KSV Looms: 0E10107
TRIG	C4	Sub Harness to Crank Trigger Leads	DTM06-3S	
TRIG	C5	Crank Trigger Leads to Crank Trigger Sensor	DTM04-3P	
ECT	C6	ECT Sensor	HT-030411	Haltech temp sensor connector
EOP	C7	Oil Pressure Sensor	Delphi GT150 3 Way	FT PN: 5005100023
ECTG-MH	C8	ECT Housing Ground - Housing Side	6.3mm eye	